

## **Instructions for organizations in creating users**

6.5.2020



### Change History

Date	Version	Change history
7.4.2020	0.1	Initialization
22.5.2020	1.0	First release version
27.5.2020	1.1	Updated appendix role names

## Table of Contents


<b>1</b>	<b>Purpose of the document .....</b>	<b>4</b>
1.1	Prerequisites.....	4
<b>2</b>	<b>General .....</b>	<b>5</b>
2.1	Fields and values in the Datahub and in this instruction .....	5
2.2	Market party abbreviations .....	5
2.3	User, organization user and user roles.....	5
2.4	Common UI functions .....	6
<b>3</b>	<b>Organization information .....</b>	<b>9</b>
3.1	Organization .....	9
3.2	Organization Contact.....	11
<b>4</b>	<b>Market Party admin .....</b>	<b>12</b>
4.1	Portal User Identity .....	12
4.2	Organization User.....	13
4.3	New User Password Reset.....	15
<b>5</b>	<b>Creating a user for organization.....</b>	<b>16</b>
5.1	Create Portal User Identity .....	16
5.2	Create Organization User .....	17
5.3	New User Password Reset.....	19
<b>6</b>	<b>B2B User (System User).....</b>	<b>20</b>
6.1	System User Identity .....	20
6.2	Organization User for the system user .....	22
	<b>Appendix A Organization User Roles.....</b>	<b>24</b>

## 1 Purpose of the document

This document provides instructions for Datahub web user interface:

- Organization in Datahub
- Administrator in Datahub
- Creating a portal user (GUI user) for the organization
- Creating a B2B user (System User) for the organization

These instructions are primarily meant for Datahub **2020 Market party test phase** when users are made from GUI instead of federation and OmaFingrid automation. The instructions and processes are subject for change before go-live. In production access management will be replaced by federated login through OmaFingrid extranet.



### 1.1 Prerequisites

Following prerequisites are required from the organization:

1. Organization has signed a contract with Datahub for using Datahub testing environments

#### Fingrid Datahub Oy

Katuosoite

Läkkisepäntie 21

00620 Helsinki

Postiosoite

PL 530

00101 Helsinki

Puhelin

030 395 5000

Faksi

030 395 5196

Y-tunnus 2745543-5, ALV rek.

etunimi.sukunimi@fingrid.fi

[www.fingrid.fi](http://www.fingrid.fi)

2. Admin user contact details have been provided to Datahub
3. B2B user (System User) testing requires following
  - a. IP addresses provided for Datahub whitelisting
  - b. SSL Certificate for B2B user authentication

#### **Fingrid Datahub Oy**

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <b>www.fingrid.fi</b>
--	---	-------------------------	-----------------------	--

## 2 General

### 2.1 Fields and values in the Datahub and in this instruction

Each element: user, organization, contact, etc. has different fields and values. This instruction focuses on the mandatory and relevant ones, leaving the obvious/self-explanatory fields without description.

Common self-explanatory fields are fields such as: first name, last name, phone-number, email, etc. If there is description for the common field, then it usually has some remark; e.g. field cannot be altered after saving or that field purpose is something different than the field name indicates.

One of the most important fields to note is the “(User/Organization/...) **Identifier**”. Identifier acts as a key value link between objects; e.g. User Identity <-> Organization User. Pay attention when filling the identifier field.

### 2.2 Market party abbreviations

Code	Market Party	Markkinaosapuoli
DDQ	Supplier	Myyjä
DSO	Grid Operator	Jakeluverkonhaltija (JVH)
THP	Third Party	3.osapuoli (palveluntarjoaja)
MOP	Market Operator	Operaattori
ISR	eSett	eSett (pohjoismainen taseselvittäjä)
CPO	Product Owner/Support (CGI)	Tuoteomistaja/-tuki (CGI)

## 2.3 User, organization user and user roles

Users in Datahub consist of a user identity and an organization user. The user identity is as the name indicates the identity that logs in to the system. The identity itself does not have any user rights in the system. The user identity is either a portal user or a system user. A portal user is person using the Datahub graphical user interface, while the system user is a system that is connected to Datahub.


Term	Explanation
<b>User identity</b>	a single identity that is identified using a username and password
<b>Portal user (identity)</b>	an identity of a natural person using the Datahub GUI
<b>System user (identity)</b>	an identity of a system that connects to Datahub through the B2B interface
<b>Organization user</b>	is linked to one identity and organization and has user roles assigned to it. Defines what that identity is entitled to do in the system.
<b>User role</b>	a predefined role with a set of system functions that can be performed with that role

A user identity always needs to be linked to an organization user. The organization user is the holder of the roles that define the access rights to perform functions in the system.

An identity can have one or several organization users. The identity can also represent several different organizations through different organization users.

### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---



### User identity and roles


User has one identity. The identity can have one to many organization users. The organization user can be assigned one to many roles.

Organization User roles determine the permissions that the user has for that ‘Organization User’ account. i.e. the permission user can do and perform in Datahub-system when logged in as that user. Organization User role selection apply also for the Organization User attached to the B2B (System User). See Attachment A for available user roles, roles usage instructions and descriptions.


## 2.4 Common UI functions

Password reset can be initiated from the log on -screen using “Forgot Password” button.

New users need to create the password using “Forgot Password” -functionality before logging in the first time.



### Log in



User might be assigned to several organizations with Organization User accounts. Organization Users determine the working roles the user is granted for that organization. (E.g. user is working on behalf of several organizations or has more than one working role for one organization.) If this is the case, user needs to select the correct Organization User (-role) when logging in to the Datahub.

#### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <b>www.fingrid.fi</b>
--	---	-------------------------	-----------------------	--

Choose correct organization role based on the job function you are performing.

The screenshot shows a search interface titled "Choose Organisation User". At the top, there is a search bar with placeholder text "Search Organisation User". Below the search bar is a table with two rows of data:

	User Name	Organisation Name	Organisation Identifier	Market Role
1	fgradmin	Fingrid Oyj	6430076050014	Market Operator
2	fgradmin2	Fingrid Oyj	6430076050014	Market Operator

## Navigation

All participant management administration functions related to this manual can be found in the Datahub UI Administration panel and section Participant Management

The screenshot shows the CGI navigation menu. The "Participant Management" option is highlighted in the dropdown menu, which also includes "Configuration Management" and "Test Data Management". The expanded "Participant Management" menu lists the following sub-options:

- Search Organisations
- Create Organisation
- Search Organisation Users
- Create Organisation User
- Create Organisation Contact
- Create Organisation Address
- Search User Roles
- Create User Role
- Search Portal User Identities
- Create Portal User Identity
- Search System User Identities
- Create System User Identity
- Search Sent Emails

## Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

### 3 Organization information

Organization information is created by Datahub, based on organization data provided to Titta.



Organization contact is mandatory data for an organization, but during testing, synthetic values are used as the system is still under construction. Check the organization information in GUI.

#### 3.1 Organization

##### Mandatory fields filled in example

Field	Information
Transaction ID	625c4d5e-7428-4817-9079-1f2d59eba97d
Tax Number	[Tax number (from y-tunnus)]
Registration COC	[Business number (y-tunnus)]
Parent Organisation	
Organisation Identifier	[Company GLN code]
Secondary Organisation identifier	
Teritary Organisation Identifier	
Market Role	Distribution System Operator (DSO)
Name	[Company official name]
Default Language Code	Finnish (fi)
Country Code	Finland (FI)
Submit	Cancel

Field explanations:

Field	Information
Organization Identifier	The GLN identifier registered for the Organization.

##### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

	<ul style="list-style-type: none"> <li>· 13-characters long, created from global GS1 company code</li> <li>· System wide unique</li> <li>· Non-changeable</li> </ul>
Market Role	<ul style="list-style-type: none"> <li>· The market role registered for the Organization</li> <li>· Non-changeable</li> <li>· Selected from list, use only:             <ul style="list-style-type: none"> <li>○ DDQ (Supplier)</li> <li>○ DSO (Grid Operator)</li> <li>○ THP (Third Party)</li> </ul> </li> </ul>
Name	<ul style="list-style-type: none"> <li>· Company legal name registered for the Organization</li> <li>· Changeable</li> <li>· Non-unique</li> </ul>
Tax Number (NOT USED)	
Registration COC	<ul style="list-style-type: none"> <li>· “Business ID” (Y-tunnus)             <ul style="list-style-type: none"> <li>○ E.g. 1234567-8</li> </ul> </li> <li>· Changeable</li> <li>· Non-unique</li> <li>· Maximum of 16 characters</li> </ul>
Invoicing Channel	<ul style="list-style-type: none"> <li>· The invoicing channel registered for the Organization</li> <li>· Non-mandatory</li> <li>· Selectable:             <ul style="list-style-type: none"> <li>○ Electronic Invoicing (AI02)</li> <li>○ Paper Invoice (AI01)</li> </ul> </li> </ul>

**Fingrid Datahub Oy**

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <b>www.fingrid.fi</b>
--	---	-------------------------	-----------------------	--

ElectronicInvoiceAddress	<ul style="list-style-type: none"> <li>The electronic invoice address registered for the Organisation</li> <li>Mandatory if 'InvoicingChannel' = 'Electronic Invoicing'</li> </ul>
InvoicingMediator	<ul style="list-style-type: none"> <li>The invoicing mediator registered for the Organisation</li> <li>Mandatory if 'InvoicingChannel' = 'Electronic Invoicing'</li> </ul>

## 3.2 Organization Contact

The screenshot shows the 'Create Organisation Contact' page. At the top, there's a navigation bar with links like Administration, Contract Master Data, Reporting, Dashboards, Meter Data, Settlement, Follow Up, Bulk Processing, and a user profile icon. Below the navigation, the main form has several input fields:

- Start Of Occurrence:** A date input set to 2020-04-03.
- Organisation:** A dropdown menu showing '900 Vekelu Jarkot Oy (9001234567891, DSO)'.
- Contact Role:** A dropdown menu showing 'Default (DEF)'.
- First Name:** An input field containing '[Firstname]'.
- Last Name:** An input field containing '[Lastname]'.
- Full Name:** An input field containing '[Lastname] [Firstname]'.
- Email Address:** An input field containing 'first.last@company.end'.
- Website:** An input field containing a URL.
- Phone Number 1:** An input field containing '1234567890'.
- Phone Number 2:** An input field containing a URL.
- Fax Number:** An input field containing a URL.
- Active?**: A checked checkbox.

At the bottom of the form are two buttons: 'Submit' and 'Cancel'.

Organization Contact fields (one mandatory):

Field	Information
User Contact Role	<ul style="list-style-type: none"> <li>Mandatory</li> <li>Select: <b>Default (DEF)</b></li> </ul>

### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

	<ul style="list-style-type: none"><li>○ One <b>Default</b> role required for each organization in order to complete organization activation.</li></ul>
Email Address	<ul style="list-style-type: none"><li>· Organization contact email address</li><li>· Changeable</li></ul>
Phone Number 1	<ul style="list-style-type: none"><li>· Organization contact phone number</li><li>· Changeable</li></ul>

### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

## 4 Market Party admin

Fingrid Admin/Operator creates the admin user based on the information provided to Titta.

User consist of a user identity that is assigned an organization user.



When user is created, the first login is done using the Reset password functionality

### 4.1 Portal User Identity

A portal user is a person using the web user interface of Datahub. This is the unique user, that can have several user roles assigned to it within one or several organizations.

Create Portal User Identity	
Transaction Reference	
Organisation	900 Vekelu Jarkot Oy (9001234567891, DSO)
User Identifier	user.email@address.here
Authentication Type	Password (PWD)
First Name	Firstname
Last Name	Lastname
Email Address	user.email@address.here
Mobile Number	1234567890
<input type="checkbox"/> Blocked?	
<input type="button" value="Submit"/>	<input type="button" value="Cancel"/>

Field explanations:

Field	Information
Organization	<ul style="list-style-type: none"> <li>The organization the user works for</li> <li>Mandatory</li> <li>Non-changeable</li> </ul>
User Identifier	<ul style="list-style-type: none"> <li>Used as a Logon Name to the Datahub</li> <li>Must be a working email address, required for receiving password reset messages</li> <li>System wide unique</li> <li>Non-changeable</li> <li>Some validation limitations (e.g. does not allow “+” sign)</li> </ul>
Authentication Type	<ul style="list-style-type: none"> <li>Select “Password (PWD)” for local user / testing phase</li> <li>(Federated users created automatically through API – cannot be chosen when creating users in Datahub GUI)</li> </ul>
First Name	<ul style="list-style-type: none"> <li>Mandatory</li> </ul>
Last Name	<ul style="list-style-type: none"> <li>Mandatory</li> </ul>
Email Address	<ul style="list-style-type: none"> <li>Mandatory</li> </ul>
Mobile Number	<ul style="list-style-type: none"> <li>Optional</li> </ul>

## 4.2 Organization User

Is the entity that has roles and user rights. A portal user that does not have an organization user assigned to it, cannot access Datahub. Roles are assigned always on organization user level.

Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

The screenshot shows the 'Create Organisation User' page. It includes fields for Transaction ID (3dab8db8-a7eb-434a-b6c1-268f28972dd2), Transaction Reference, Organization (900 Vekeli Jarkot Oy (9001234567891, DSO)), User identifier (user.mail@address.here), User Name (GLN-UserIdentifier), Full Name ([Lastname] [Firstname]), Email Address (user.mail@address.here), Phone Number (1234567890), Contract End Date, and Role Name. A list of roles on the left includes FOR-FOR-Federation, FOR-FOR-GUI-Generic, FOR-GUI-CPO-admin, FOR-GUI-DDQ-admin, FOR-GUI-MOP-admin, FOR-GUI-THP-admin, FOR-GUI-admin, FOR-Generic-CFM, and FOR-Generic-D4Bprocesses. The 'FOR-GUI-DSO-admin' role is selected on the right. There are also checkboxes for 'Is Administrator' and 'Is Active'. At the bottom are 'Submit', 'Cancel', and '+R' buttons.

Roles explained in: "0 Appendix A Organization User Roles".

Field explanations:

Field	Information
Organization	<ul style="list-style-type: none"> <li>Organization to which the admin/operator is assigned for</li> <li>Mandatory</li> <li>Non-changeable</li> </ul>
User Identifier	<ul style="list-style-type: none"> <li>Must be the previously created Portal User Identity's <b>User Identifier</b> <ul style="list-style-type: none"> <li>Ties the Organization User to a Portal User</li> </ul> </li> <li>Mandatory</li> <li>Used for system communication</li> <li>Non-changeable</li> <li>Does not allow åäö – replace with ao</li> </ul>
User Name	System wide unique

### Fingrid Datahub Oy

	<ul style="list-style-type: none"> <li>· Non-changeable</li> <li>· Should refer somehow to the user and organization. Naming convention:           <ul style="list-style-type: none"> <li>○ [GLN-Number]-[Firstname].[Lastname](-[optional other info, such as role])</li> <li>○ "9009876543210-First.Last-admin"</li> </ul> </li> </ul>
Full Name	<ul style="list-style-type: none"> <li>· Changeable</li> <li>· Can be anything           <ul style="list-style-type: none"> <li>○ Prefer naming convention: [Lastname] [Firstname]</li> </ul> </li> </ul>
Email Address	<ul style="list-style-type: none"> <li>· Email address for notifications</li> <li>· Changeable</li> </ul>
Phone Number	
Contract End Date (NOT USED)	<ul style="list-style-type: none"> <li>· <b>Not used</b></li> </ul>
Role Name	<ul style="list-style-type: none"> <li>· Should be selected based on the organization type. E.g. DSO organization operator should have <b>FGR-GUI-DSO-admin</b></li> </ul>
Is Administrator (NOT USED)	<ul style="list-style-type: none"> <li>· <b>Not used</b></li> <li>· Just a boolean value for user search filtering</li> </ul>
Is Active	<ul style="list-style-type: none"> <li>· Activity</li> </ul>

### 4.3 New User Password Reset


Created organization admin/operator/user can now do a password reset from the Datahub front page.  
**Password reset link is sent to the email address in the User Identifier -field.**

## 5 Creating a user for organization

Creating a person user for Datahub web user interface and assign user access roles to that user.

Organization Admin performs (the Datahub user with Admin role).

Process in short:



- Select Role based on the user's Datahub function

### 5.1 Create Portal User Identity

The screenshot shows a form titled 'Create Portal User Identity'. The fields include:

- Transaction Reference (empty input field)
- Organisation: 900 Vekelu Jarkot Oy (9001234567891, DSO) (dropdown menu)
- User Identifier: user.email@address.here (input field)
- Authentication Type: Password (PWD) (dropdown menu)
- First Name: Firstname (input field)
- Last Name: Lastname (input field)
- Email Address: user.email@address.here (input field)
- Mobile Number: 1234567890 (input field)
- Blocked?:  Blocked? (checkbox)

At the bottom are 'Submit' and 'Cancel' buttons.


Field explanations:

#### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

Field	Information
Organization	<ul style="list-style-type: none"> <li>· The organization the user works for</li> <li>· Mandatory</li> <li>· Selectable from list</li> <li>· Non-changeable</li> </ul>
User Identifier	<ul style="list-style-type: none"> <li>· Used as a Logon Name to the Datahub</li> <li>· Must be a working email address, required for receiving password reset messages</li> <li>· System wide unique</li> <li>· Non-changeable</li> <li>· Some validation limitations (e.g. does not allow "+" sign)</li> </ul>
Authentication Type	<ul style="list-style-type: none"> <li>· Select "Password (PWD)" for local user / testing purposes</li> <li>· (Federated users created automatically)</li> </ul>
First Name	<ul style="list-style-type: none"> <li>· Mandatory</li> </ul>
Last Name	<ul style="list-style-type: none"> <li>· Mandatory</li> </ul>
Email Address	<ul style="list-style-type: none"> <li>· Mandatory</li> </ul>
Mobile Number	<ul style="list-style-type: none"> <li>· Optional</li> </ul>

## 5.2 Create Organization User



When selecting the role, refer to an attached table of selectable roles: “0 Appendix A Organization User Roles”.

Field explanations:

Field	Information
Organization	<ul style="list-style-type: none"> <li>Organization to which the admin/operator is assigned for</li> <li>Mandatory</li> <li>Selectable from list</li> <li>Non-changeable</li> </ul>
User Identifier	<ul style="list-style-type: none"> <li>The exact value the admin/operator has in Portal User Identity User Identifier -field</li> <li>Mandatory</li> </ul>

Fingrid Datahub Oy

	<ul style="list-style-type: none"> <li>· Non-changeable</li> <li>· Does not allow åäö – replace with ao</li> </ul>
User Name	<ul style="list-style-type: none"> <li>· System wide unique</li> <li>· Non-changeable</li> <li>· Should refer somehow to the user and organization. Naming convention:                             <ul style="list-style-type: none"> <li>○ [GLN-Number]-[Firstname].[Lastname](-[optional other info, such as role])</li> <li>○ "9009876543210-First.Last-viewer"</li> </ul> </li> </ul>
Full Name	<ul style="list-style-type: none"> <li>· Changeable</li> <li>· Can be anything                             <ul style="list-style-type: none"> <li>○ Prefer naming convention: [Lastname] [Firstname]</li> </ul> </li> </ul>
Email Address	<ul style="list-style-type: none"> <li>· Changeable</li> </ul>
Phone Number	
Contract End Date (NOT USED)	
Role Name	<ul style="list-style-type: none"> <li>· Should be selected based on the organization type. E.g. DSO user should get <b>FGR_GUI_DSO_User</b></li> </ul>

### 5.3 New User Password Reset

Created organization user can now do a password reset from the Datahub front page. **Password reset link is sent to the email address in the User Identifier -field.**

## 6 B2B User (System User)

Datahub creates the System user. Organization creates the needed organization users.

System user is needed for the B2B interface. B2B user is authenticated with SSL-certificate. Market participant needs to retrieve SSL-certificate and install the private key to its own environment that calls Datahub. Separate instruction for retrieving the SSL-certificate "*Instruction to retrieve SSL-certificate*".

B2B user consists of a system user identity and a organization user that has the correct business role assigned to it.

System User Identity

Organization User



**NOTE.** If several organizations within the same group are using the same system to connect to Datahub, then only one system user identity and SSL-certificate is needed. Each organization requires still a organization user that is assigned to that System user identity. The organization user represents its market role.

### 6.1 System User Identity

The screenshot shows a user interface for creating a system user identity. At the top, there's a navigation bar with links for Administration, Contract Master Data, Reporting, Dashboards, Meter Data, and more. Below the navigation is a header for 'Create System User Identity'. The main form contains the following fields:

- Transaction ID:** 38ee7b3d-26da-4dfa-a77c-da81551fa267
- Transaction Reference:** (empty field)
- Organisation:** 900 Vekelu Jarkot Oy (9001234567891, DSO) (with a dropdown arrow icon)
- User Identifier:** 9001234567891.DSO (with a delete 'x' icon)
- Authentication Type:** Certificate (CRT) (with a dropdown arrow icon)
- Blocked?**: A checkbox labeled 'Blocked?' is checked.
- Certificate:** A text area containing the certificate content: -----BEGIN CERTIFICATE-----  
-----END CERTIFICATE-----
- Secondary Certificate:** A link labeled 'Secondary Certificate'.

At the bottom of the form are two buttons: 'Submit' and 'Cancel'.

### Field explanations:

Field	Information
Organization	<ul style="list-style-type: none"> <li>The organization the user works for</li> <li>Mandatory</li> <li>Selectable from list</li> <li>Non-changeable</li> </ul>
User Identifier	<ul style="list-style-type: none"> <li>Identifier for the system user</li> <li>Use naming convention of:             <ul style="list-style-type: none"> <li>[Organization GLN].[Market role]</li> </ul> </li> </ul>


### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

	<ul style="list-style-type: none"> <li>○ E.g. 9001234567891.DSO</li> </ul>
Authentication Type	<ul style="list-style-type: none"> <li>· <b>Certificate (CRT)</b></li> </ul>
Certificate	<ul style="list-style-type: none"> <li>· SSL certificate here</li> </ul>

## 6.2 Organization User for the system user

Organization user is needed to as it defines the organization and the market role for which the system user identity is used. The system user identity is the same as the user name of the SSL-certificate.



**Note.** User Identifier cannot be searched in Datahub. System user identity that is used here, is the same as the SSL-certificate username. SSL-certificate name is visible when downloading the certificate.

Field explanations:

Field	Information
Organization	<ul style="list-style-type: none"> <li>Organization to which the admin/operator is assigned for</li> <li>Mandatory</li> <li>Non-changeable</li> </ul>
User Identifier	<ul style="list-style-type: none"> <li>The exact value the system user has in System User: User Identifier -field</li> <li>Mandatory</li> <li>Non-changeable</li> </ul>
User Name	<ul style="list-style-type: none"> <li>System wide unique</li> <li>Non-changeable</li> <li>For the B2B Organization User the naming convention should be the same as user Identifier <ul style="list-style-type: none"> <li>[Organization GLN].[Market Role]</li> </ul> </li> </ul>
Full Name	<ul style="list-style-type: none"> <li>Changeable</li> <li>Can be anything <ul style="list-style-type: none"> <li>For System User (B2B) prefer naming convention: <b>User Identifier</b></li> </ul> </li> </ul>
Email Address	<ul style="list-style-type: none"> <li>Changeable</li> </ul>
Phone Number	
Contract End Date	
Role Name	<ul style="list-style-type: none"> <li>Should be selected based on the organization type. E.g. DSO user should get <b>FGR_B2B_DSO_RegulatedProcesses</b></li> </ul>

## Appendix A Organization User Roles

General description of roles and rights to the Datahub system.

**Note.** Update role is for GUI only users. GUI only users need to make the updates manually to their own systems since b2b connection is not used.

Role	DSO	DDQ (supplier)	THP
<b>Admin</b>	Adding/removing user roles to party's users.  Update party's organization data Maintaining system user information (certificate)	Adding/removing user roles to party's users.  Update party's organization data Maintaining system user information (certificate)	Adding/removing user roles to party's users.  Update party's organization data Maintaining system user information (certificate)
<b>Key User</b>	Exchange point and production unit management, MGA management  Update party authorizations and delegations  Control reports  DH-712, DH-714, DH-716, DH-718	Update party authorizations and delegations  Control reports  DH-711, DH-713, DH-715, DH-717	
<b>Update</b>	Initiating market processes.  Receive and view all notifications DSO receives from datahub as part of market processes (open transactions and other notifications).  Peek&Dequeue  Role is typically customer service clerk	Initiating market processes  Receive and view all notifications supplier receives from datahub as part of market processes (open transactions and other notifications).  Peek&Dequeue  Role is typically customer service clerk	Initiating market processes  Receive and view all notifications THP receives from datahub as part of market processes (open transactions and other notifications).  Peek&Dequeue
<b>User</b>	Search & View rights to market data  Run and view reports provided for market party	Search & View rights to market data  Run and view reports provided for market party	Search & View rights to market data  Run and view reports provided for market party

Fingrid Datahub Oy

	Role is customer service clerk	Role is customer service clerk	Role is customer service clerk
--	--------------------------------	--------------------------------	--------------------------------

**Note!** Each role is created for every Market Role. The Role name contains the Market role abbreviation, and the role needs to be chosen to reflect the market role the organization represents.

User Role	Use Case	Description
<b>DEFAULT</b>	Log in access only, no other user rights (FED users only)	GUI users
<b>DDQ_Admin</b>	User Access management	GUI users
<b>DDQ_DataInterface</b>	Data interface	B2B connection
<b>DDQ_RegulatedProcesses</b>	Market processes	B2B connection
<b>DDQ_Key_User</b>		GUI users
<b>DDQ_KeyUser_GUIOnlyParty</b>		
<b>DDQ_Update</b>		GUI users
<b>DDQ_Update_GUIOnlyParty</b>	For GUI only party	GUI users
<b>DDQ_User</b>		GUI users
<b>DSO_DataInterface</b>	Data interface	B2B connection
<b>DSO_RegulatedProcesses</b>	Market processes	B2B connection
<b>DSO_Admin</b>	User Access management	GUI users
<b>DSO_KeyUser</b>		GUI users
<b>DSO_KeyUser_GUIOnlyParty</b>	For GUI only party	GUI users
<b>DSO_Update</b>		GUI users

### Fingrid Datahub Oy

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <a href="http://www.fingrid.fi">www.fingrid.fi</a>
--	---	-------------------------	-----------------------	---

<b>DSO_Update_GUIOnlyParty</b>	For GUI only party	GUI users
<b>DSO_User</b>		GUI users
<b>THP_Admin</b>	User Access management	GUI users
<b>THP_KeyUser</b>		GUI users
<b>THP_KeyUser_GUIOnlyParty</b>		GUI users
<b>THP_Update</b>		GUI users
<b>THP_Update_GUIOnlyParty</b>		
<b>THP_User</b>		
<b>THP_DataInterface</b>	Data interface	B2B connection
<b>THP_RegulatedProcesses</b>	Market processes	B2B connection
<b>MOP_KeyUser_Configuration</b>		Market operator
<b>MOP_KeyUser_Settlement</b>		Market operator
<b>MOP_Admin</b>		Market operator
<b>MOP_User</b>		Market operator
<b>MOP_Privacy</b>		Market operator
<b>MOP_Report</b>		Market operator
<b>MOP_SysAdmin</b>		Market operator
<b>MOP_B2B_Report</b>	Technical	B2B connection
<b>MOP_CertificationAPI</b>	Technical	B2B connection
<b>MOP_Federation</b>	Technical	B2B connection
<b>MOP_ODATA</b>	Technical	B2B connection

<b>MOP_DataInterface</b>	Technical	B2B connection
<b>CPO_2nd_line</b>	Support organization	GUI users
<b>CAP_CustomerAccessPortal</b>		
<b>ISR_eSett</b>	Technical	B2B connection

**Fingrid Datahub Oy**

Katuosoite Läkkisepäntie 21 00620 Helsinki	Postiosoite PL 530 00101 Helsinki	Puhelin 030 395 5000	Faksi 030 395 5196	Y-tunnus 2745543-5, ALV rek. etunimi.sukunimi@fingrid.fi <b>www.fingrid.fi</b>
--	---	-------------------------	-----------------------	--